



# Clifton Health Department Food Recall Notification



## Food/Drug/Pet Recall: King Hawaiian

### **King's Hawaiian® Issues Voluntary Recall of Pretzel Slider Buns, Pretzel Hamburger Buns and Pretzel Bites Due to the Recall of an Ingredient from Supplier Lyons Magnus**

King's Hawaiian is voluntarily recalling its Pretzel Slider Buns, Pretzel Hamburger Buns and Pretzel Bites products out of an abundance of caution following a [recall](#) of an ingredient used in the pretzel products from one of its suppliers, Lyons Magnus. Lyons Magnus is recalling this ingredient due to the potential for it to cause microbial contamination including from the organisms *Cronobacter sakazakii* and *Clostridium botulinum*. While no illnesses associated with King's Hawaiian pretzel bread have been reported, and no pathogens have been found in any King's Hawaiian products to date, the recall is being conducted to ensure consumer safety.

This recall does not impact any other King's Hawaiian products, as no other products use this ingredient from Lyons Magnus. King's Hawaiian will resume producing all pretzel products once the company has ensured all current product has been disposed of and has confirmed the safety of all ingredients.

Consumers in possession of any King's Hawaiian Pretzel Slider Buns, King's Hawaiian Pretzel Hamburger Buns or King's Hawaiian Pretzel Bites should dispose of the product. Consumers can contact King's Hawaiian at 877-695-4227, Monday through Friday from 8:30 a.m. to 5:00 p.m. PT, if they have any questions, or to request replacement product.

King's Hawaiian advises that consumers in possession of any King's Hawaiian Pretzel Slider Buns, King's Hawaiian Pretzel Hamburger Buns or King's Hawaiian Pretzel Bites should dispose of the product.

Additional information including lot codes and product photos is available at: [King's Hawaiian® Issues Voluntary Recall of Pretzel Slider Buns, Pretzel Hamburger Buns and Pretzel Bites Due to the Recall of an Ingredient from Supplier Lyons Magnus | FDA](#)