



Clifton Health Department Food Recall Notification



Public Health
Prevent. Promote. Protect.

Food/Drug/Pet Recall: PharMEDium Services, LLC

PharMEDium Services, LLC is initiating a voluntary recall, to the pharmacy level, for Service Code 2R3352-5, 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe (NDC 61553-352-78) due to a statement on PharMEDium's Customer Resource Center (CRC) that indicates that the product is sulfite-free. Affected product started shipping March 21, 2019.

While the finished products met all specifications prior to release, product information on PharMEDium's CRC designates that product is sulfite free but contains hydromorphone that is not indicated as sulfite free. The manufacturer's package insert precaution states "Hydromorphone HCl Injection (HPF) contain sodium metabisulfite, a sulfite that may cause allergic-type reactions including anaphylactic symptoms and life-threatening or less severe asthmatic episodes in certain susceptible people. The overall prevalence of sulfite sensitivity in the general population is unknown and probably low. Sulfite sensitivity is seen more frequently in asthmatic than in nonasthmatic people."

To date, PharMEDium Services, LLC has not received any reports of adverse events related to this recall. This recall is being executed with the knowledge of the Food and Drug Administration.

The below lots are included in this recall:

Service Code Service Code Description Lot Number Expiration Date Ship Date NDC

2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190670030D	06/09/2019	03/21/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190670031D	06/09/2019	03/21/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190670032D	06/09/2019	03/21/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190670033D	06/09/2019	03/21/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190710015D	06/11/2019	03/22/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190710015D	06/11/2019	03/21/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190710016D	06/11/2019	03/22/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe	190710016D	06/11/2019	03/22/2019	61553-352-78
2R3352-5	0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe				



Clifton Health Department Food Recall Notification



Public Health
Prevent. Promote. Protect.

190710016D 06/11/2019 03/26/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190710017D 06/11/2019 03/22/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190710018D 06/11/2019 03/21/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190710018D 06/11/2019 03/21/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190710019D 06/11/2019 03/21/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190730028D 06/13/2019 03/26/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190730029D 06/13/2019 03/26/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190730030D 06/13/2019 03/27/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190730030D 06/13/2019 03/26/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190740018D 06/16/2019 03/27/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190740018D 06/16/2019 03/29/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190770028D 06/17/2019 03/29/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190770029D 06/17/2019 03/29/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780027D 06/18/2019 03/29/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780027D 06/18/2019 04/02/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780028D 06/18/2019 04/04/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780028D 06/18/2019 04/04/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780029D 06/18/2019 04/04/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190780029D 06/18/2019 04/04/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190790030D 06/19/2019 04/02/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800012D 06/20/2019 05/10/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800013D 06/20/2019 04/02/2019 61553-352-78



Clifton Health Department Food Recall Notification



Public Health
Prevent. Promote. Protect.

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800013D 06/20/2019 04/02/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800013D 06/20/2019 04/02/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800015D 06/20/2019 04/03/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800015D 06/20/2019 04/02/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800016D 06/20/2019 04/02/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810033D 06/23/2019 04/03/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810033D 06/23/2019 04/04/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810033D 06/23/2019 04/05/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810034D 06/23/2019 04/08/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810034D 06/23/2019 04/05/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810035D 06/23/2019 04/08/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190810036D 06/23/2019 04/03/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190840002D 06/24/2019 04/19/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190840002D 06/24/2019 04/10/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190840002D 06/24/2019 04/08/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190840002D 06/24/2019 04/19/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190840002D 06/24/2019 04/10/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190870008D 06/27/2019 04/19/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190870008D 06/27/2019 04/24/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190910015D 07/01/2019 04/19/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190910015D 07/01/2019 04/19/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe



Clifton Health Department Food Recall Notification



Public Health
Prevent. Promote. Protect.

190910015D 07/01/2019 04/24/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190910015D 07/01/2019 04/24/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190980033D 07/08/2019 04/24/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990017D 07/09/2019 04/26/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990017D 07/09/2019 04/24/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990017D 07/09/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990030D 07/09/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990030D 07/09/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190990030D 07/09/2019 05/06/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191000035D 07/10/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191010008D 07/11/2019 05/01/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191010008D 07/11/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191010009D 07/11/2019 05/01/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191010010D 07/11/2019 04/30/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/01/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/17/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/17/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 06/03/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/08/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/10/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191050002D 07/15/2019 05/13/2019 61553-352-78
2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191120002D 07/22/2019 05/17/2019 61553-352-78



Clifton Health Department Food Recall Notification



Public Health
Prevent. Promote. Protect.

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191120002D 07/22/2019 05/31/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191120002D 07/22/2019 05/08/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191120002D 07/22/2019 05/16/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191160001D 07/28/2019 06/01/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191160001D 07/28/2019 06/01/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
190800014D 06/20/2019 04/08/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191210021D 07/31/2019 05/17/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191210021D 07/31/2019 05/20/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191210022D 07/31/2019 06/01/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191220017D 08/01/2019 05/20/2019 61553-352-78

2R3352-5 0.5 mg/mL HYDROmorphone HCl in 0.9% Sodium Chloride 1 mL in 3 mL BD Syringe
191220017D 08/01/2019 06/01/2019 61553-352-78

As a precautionary measure, we are asking you to immediately examine your inventory, quarantine product subject to the recall and destroy any units you have in stock according to your facility's destruction policy and procedures. You will receive credit for the units you quarantine and destroy.

If you have any medical questions regarding this recall or to report an adverse event, please contact PharMEDium Services at 800-523-7749 (8:00 am - 5:00 pm Central Time).

If you have any general questions regarding this recall, please contact PharMEDium Services Customer Service at 800-523-7749 (8:00 am - 5:00 pm Central Time).

No action is required of local health departments at this time for any of these recalls. If any requests for assistance are received from either USDA or FDA, the Public Health and Food Protection Program will contact you. For additional information regarding warnings and recalls, please click on the weblink below.

For all recalls - <http://www.recalls.gov/recent.html>